Best Average Copy

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5176682").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/13 16:08
L2	1654	suture near anchor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/13 16:08
L3	376	(suture near anchor) and (tip same (bore hole aperture))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/13 16:16
L4	83	l3 and (expanding expandable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF.	2006/09/13 16:16
L5	12118	(fastener anchor) and (tip same (bore hole aperture))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	⊙FF.	2006/09/13 16:16
L6	463	IS and (expanding expandable) with (anchor fastener)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF.	2006/09/13 16:16
L7	133	l6 and (bore hole aperture) same pin	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/09/13 16:17
L8	9	("3845772" "4738255" "4750492" "4898156" "4899743" "4946468" "5041129" "5046513" "5102421"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/13 16:23
L9	294	(expanding expandable) same suture same (anchor fastner holder)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/13 16:32
L10	91	I9 and pin	US-PGPUB; USPAT; USOCR	OR	⊕FF	2006/09/13 16:35
L11	198	606/232.ccls. and (expanding expandable)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/13 16:36
S1	6	"6671596"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/03 12:14

9/13/06 5:28:05 PM

			,			
S2	2	("6641596").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF.	2005/03/03 12:14
S3	77	("0065499" "1082540" "3708883" "4007743" "4378019" "4532926" "4537185" "4632101" "4721103" "4870957" "4898156" "4946468" "4976715" "5002550" "5013316" "5021059" "5037422" "5074874" "5084050" "5100417" "5102421" "5123913" "5129906" "5129912" "5141520" "5152765" "5152769" "5176682" "5178629" "5192303" "5207679" "5224946" "5226535" "5236431" "5236445" "5258016" "5259846" "5261914" "5268001" "5320629" "5370661" "5370662" "5372146" "5372599" "5380334" "5383905" "540805" "5405354" "5417712" "5464427" "5500000" "5534011" "5545180" "5569306" "5578057" "5584860" "5618314" "5707395" "5709708" "5782864" "5871504" "5891168" "5899921" "5935129" "6056772" "6200329" "6319252"). PN.	US-PGPUB; USPAT; USOCR	OR		2005/03/03 13:06
S4	20	suture same anchor same expand\$ same pin	US-PGPUB; USPAT; USOCR	OR	©FF	2005/03/03 13:53
S5	2	("5707395").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/03 13:25
S6	5	suture same anchor same expand\$ same pin and fin	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/03 13:53
S7	72	suture same anchor same bioabsorb\$ and (polyethylene polypropylene polylactic plysulfone)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 13:54
S8	1677	"606"/\$.ccls. and (anchor same expand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 15:33
S9	509	S8 and (suture same anchor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 15:33

			•			
S10	555	S8 and (suture same anchor\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 15:40
S11	361	S10 and (groove channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/03/22 16:02
512	823	(606/232).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	OFF	2006/03/22 16:03
S13	317	S12 and (expand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	0	2006/03/22 16:12
S14	225	(606/63,68).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OEEE	2006/03/22 16:13
S15	` 115	S14 and expand\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	<u> </u>	2006/03/22 16:13
S16	113	S15 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 16:20
S17	551	(411/15,18,24,25,33).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 16:20
S18	90	S17 and (groove channel notch)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ΦFF	2006/03/22 16:23
S19	1025	"411"/\$.ccls. and (anchor and expand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	©FF	2006/03/22 16:23
S20 .	331	S19 and (expander pin)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 16:56
S21	21	S19 and (tip with (notch groove channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/22 17:02

			•			
S22	41	S12 and (tip with (notch groove channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОFF	
S23	77	("0065499" "1082540" "3708883" "4007743" "4378019" "4532926" "4537185" "4632101" "4721103" "4870957" "4898156" "4946468" "4976715" "5002550" "5013316" "5021059" "5037422" "5074874" "5084050" "5100417" "5102421" "5123913" "5129906" "5129912" "5141520" "5152765" "5152769" "5176682" "5178629" "5192303" "5207679" "5224946" "5226535" "5236431" "5236445" "5258016" "5259846" "5261914" "5268001" "5281236" "5282809" "5306290" "5370661" "5370662" "5372146" "5372599" "5380334" "5383905" "5400805" "5405354" "5417712" "5464427" "5500000" "5534011" "5545180" "5569306" "5578057" "5584860" "5618314" "5707395" "5709708" "5782864" "5871504" "5891168" "5899921" "5935129" "6056772" "6200329" "6319252"). PN.	US-PGPUB; USPAT; USOCR	OR		2006/03/22 17:05
S24	9	("3845772" "4738255" "4750492" "4898156" "4899743" "4946468" "5041129" "5046513" "5102421"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF.	2006/03/22 17:11
S25	97	("5176682").URPN.	USPAT	OR	OFF	2006/03/22 17:11
S26	2	("5928244").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/24 11:25
S27	1541	(suture near anchor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/24 11:25
S28	124	(suture near anchor) with (expand\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/24 11:26
S29	1025	"411"/\$.ccls. and (anchor and expand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF.	2006/03/24 11:33

S30	44	S29 and (travers\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR ·	OFF	2006/03/24 11:38
S31	1014	(fastener with shaft with bore)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/24 11:39
S32	166	S31 and (expand\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	<u> </u>	2006/03/24 11:39

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

| BLACK BORDERS
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
| FADED TEXT OR DRAWING
| BLURRED OR ILLEGIBLE TEXT OR DRAWING
| SKEWED/SLANTED IMAGES
| COLOR OR BLACK AND WHITE PHOTOGRAPHS
| GRAY SCALE DOCUMENTS
| LINES OR MARKS ON ORIGINAL DOCUMENT
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
| OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.